### PM: Kathy

24-8000032



PROJ. #: 5N8082-

SEMINOLE COUNTY **PLANNING & DEVELOPMENT DIVISION 1101 EAST FIRST STREET, ROOM 2028** SANFORD, FLORIDA 32771 (407) 665-7371 EPLANDESK@SEMINOLECOUNTYFL.GOV

# **PRE-APPLICATION**

# INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED

### **APPLICATION FEE**

**PRE-APPLICATION** 

\$50.00

### PROJECT

PROJECT NAME: Sunshine Water Services AMI Gateway - Western Fork			
PARCEL ID #(S): 35-20-29-501-0000-019A			
TOTAL ACREAGE: 22.27	BCC DISTRICT: 3: Constantine		
ZONING: Agricultural-1Ac	FUTURE LAND USE: PUBU		

### **APPLICANT**

NAME: Brenda Pearce	COMPANY: Black & Veatch / Sunshine Water Services Company		
ADDRESS: 200 Weathersfield Ave			
CITY: Altamonte Springs	STATE: FL	ZIP: 32714	
PHONE: (678) 656-5179	EMAIL: Pearceb@by.com		

### CONSULTANT

NAME:	COMPANY:	
ADDRESS:		
CITY:	STATE:	ZIP:
PHONE:	EMAIL:	

## **PROPOSED DEVELOPMENT** (CHECK ALL THAT APPLY)

	🗌 LAND USE A	MENDMENT		🛛 SITE PLAN	SPECIAL EXCEPTION
Description of proposed development: Installing automation system for reading meters on proposed 50' metal pole					
					40'

STAFF USE ONLY					
COMMENTS DUE: 3/8	COM DOC DUE: 3/14		DRC MEETING: 3/20		
PROPERTY APPRAISER SHEET PRIOR REVIEWS:					
ZONING: A-1	FLU: PUBU	LOCATION:	on the north side of Western Frk, west of Tollgate Trl		
W/S: Sunshine Water	BCC: 3:Constantine		west of foligate fit		



200 Weathersfield Avenue Altamonte Spring, Florida United States 32714

T 866.842.8432

www.sunshinewater.com

### AMI PROJECT OVERVIEW

### **Company Overview**

Sunshine Water Services Company (SWS) is a water & wastewater utility that has been operating in Florida since 1976. SWS provides service to nearly 70,000 customers across 10 different counties. In Seminole County, SWS serves approximately 15,000 premises with either water, wastewater, or both. One of our largest service areas is "Sanlando", in unincorporated Seminole County, where we serve a large portion of the Wekiva Springs area.

### What is AMI?

AMI, also known as Advanced Metering Infrastructure, is a new water metering system that provides remote meter reading capabilities. AMI meters send a signal, either through cellular or to a LoRaWAN (low-power, wide area networking protocol) collector which feeds the overall system with the meter reads and other available information. AMI is designed to provide a monitoring system of water usage to residential and commercial properties, which will not only allow the water utility (SWS) to know what the usage is but will also supply the customer with data of their usage on a regular and easier-to-use basis. AMI, combined with the necessary software such as SWS My Utility Account, allows the customer to monitor their residence for leaks and to be more aware of their usage when they are not home.

### **SWS AMI PROJECT**

SWS has contracted with meter manufacturer, Neptune, to provide AMI and it's capabilities to all SWS water customers. The AMI installation will require the replacement of older mechanical meters with AMI. There are approximately 14,750 meters in Seminole County that will be replaced with AMI prior to the end of 2024.

The upgrade to AMI technology will provide significant benefits to our customers including,

- Detection of leaks and customer notification through My Utility Account,
- Eliminates the need for manual and estimated reads,
- Reduction in high-bill cases because customers will have more information to evaluate their usage,
- Greenhouse gas reductions with the reduction of "truck rolls" to obtain manual meter reads.

The majority of AMI meters in Seminole County will use LoRaWAN technology to supply meter read data back to the system. The use of LoRaWAN requires the installation of gateway poles with specific antenna technology to collect the data for a region of AMI meters while others will be served by cellular technology.

## 40A8RT219DB

### Round Tapered Direct Burial Aluminum Light Pole 40 Foot Above Grade, 8 Inch Diameter, 0.219 Inch Wall Thickness

#### **PRODUCT DESCRIPTION**

18 inches

24 inches

Ĝ

0 0

 $\dot{\bigcirc}$ 00

ċ . o

0 0.9

Õ

. 0

0.0

:0

O

0.0 D

0.000

0 0

0


Pole Top Options: Poles are provided with either a removable top cap or a welded aluminum tenon. A 2-3/8 inch outside diameter tenon with 4 inches in length is the most common; however, other tenon options are available. Customers should confirm the appropriate tenon size required by their project prior to ordering. Poles with a top cap can also be drilled during fabrication. The drill pattern and orientation need to be provided by the customer unless Energy Light fixtures are being used for the project.

Pole Shaft: The pole shaft will be constructed of seamless extruded tube of 6063 aluminum alloy per the requirements of ASTM B221. The shaft assembly shall be full-length heat treated to produce a T6 temper.

Handhole: A reinforced handhole with grounding provision is provided at 18 inches from the base end of the pole assembly. Each handhole includes a cover and the attachment hardware.

Color and Finish Options: The standard finish for our aluminum light poles is a natural aluminum finish. Our poles are also available with a commercial grade, powder coat finish for an additional charge. Standard color options include dark bronze, black, gray, green, and white; however, custom color options are also available.

Other Options: The Following options are available. Please consult one of our light pole experts for details: Custom tenon size, custom color, electric/GFI outlet, custom pole height and additional handholes. Anti-Rotational Modification is also an option. Poles will be partially flattened into an anti-rotational, oval cross section, for added stability.



Copyright © 2019 Energy Light, Inc. All Rights Reserved. | 800 E. Northwest Highway, Palatine, IL 60074

Ground Line

Wire Access Slots  $1-3/4 \times 6$  inches

(2 at 180°)

1 to 2

Feet

Flattened

•

0  $\bigcirc$ 

0.0.

0.0

. . . . D

· 0

د ٥ ٥

0.0 .0.0

0.00

0

0

# Product datasheet Characteristics

# SO1020M100S





Product or component type	All-In-One
Range of product	Homeline
Meter socket type	Ringed
Hub type	A

### Complementary

Line Rated Current	100 A	
Short-circuit current	10 kA	
Device mounting	Surface	
Number of spaces	10	
Number of circuits	20	
Number of tandem circuit breakers	10	
Electrical connection	Lugs line side Lugs service ground	
AWG gauge	AWG 6AWG 1 (aluminium/copper) line side AWG 8AWG 4 (aluminium/copper) service ground	
Device composition	Service disconnect (factory installed)	
Service disconnect rated current	100 A	
Branch circuit breaker rated current	80 A	
Service feed location	ОН	
Bypass type	No bypass	

### Environment

### **Offer Sustainability**

Green Premium product	Green Premium product
Compliant - since 0944 - Schneider Electric declaration of conformity	Compliant - since 0944 - Schneider Electric declaration of conformity
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold
Available	Available
Need no specific recycling operations	Need no specific recycling operations

#### Contractual warranty

Warranty period

18 months



# NON CELLULAR OMNIDIRECTIONAL BASE STATION ANTENNAS **Fiberglass Omnidirectional Antennas**



MFB9155



MMK3



MMK1



MMK4



MBSWM



MMK9



The MFB 900/800 MHz series are base matched half wave antennas encapsulated in heavy duty fiberglass radomes with a thick walled aluminum mounting base for reliable long term use. All models are DC grounded and UPS shippable.

## **Features**

- White ultra-violet resistant pultruded fiberglass radome
- Thick walled aluminum mounting base
- Unity/3 dB/5 dB/7 dB models
- UPS shippable
- · Factory tuned



# **Technical Data**

Maximum Power: 150 watts
Normal Impedance: 50 ohms
Radome Material: 1.0" OD pultruded white fiberglass
Radiator Material: Coated steel wire
ESD Protection: DC grounded
Wind Survival: 100 mph
Termination: Unity and 3 dB models, N Female
Mounting Base Diameter: 1-5/16"
Mounting Method: Mast or wall mounted. Mounting hardware is sold separately. MMK1: light duty mast mount for antennas under 30" MMK3: light duty mast mount for antennas over 30" MMK4: heavy duty mast mount MMK6: cast mounting bracket MMK9: Aluminum mast mount for 1-5/16" OD antennas MBSWM: wall mounting bracket for antennas over 30" (two are required)



# Antenna Electrical Specifications

Model	Frequency Range	Factory Tuned Frequency	Gain	Bandwidth @ 1.5:1 VSWR	Vertical Beamwidth @ 1/2 Power
MFB8130	806-866 MHz	813 MHz	Unity	40 MHz	75°
MFB8133	806-866 MHz	813 MHz	3 dB	30 MHz	40°
MFB8135	806-866 MHz	813 MHz	5 dB	20 MHz	22°
MFB8580	806-866 MHz	858 MHz	Unity	40 MHz	75°
MFB8583	806-866 MHz	858 MHz	3 dB	30 MHz	40°
MFB8585	806-866 MHz	858 MHz	5 dB	20 MHz	22°
MFB8353	824-896 MHz	835 MHz	3 dB	30 MHz	40°
MFBW8903	890-960 MHz	N/A	3 dB	70 MHz	40°
MFBW8905	890-960 MHz	N/A	5 dB	70 MHz	22°
MFB8963	896-940 MHz	898 MHz	3 dB	30 MHz	40°
MFB8965(NF)	896-940 MHz	898 MHz	5 dB	20 MHz	22°
MFB9387	896-940 MHz	938 MHz	7 dB	20 MHz	17°
MFB8967(NF)	896-940 MHz	898 MHz	7 dB	20 MHz	17°
MFB9150	902-928 MHz	915 MHz	Unity	20 MHz	75°
MFB9153	902-928 MHz	915 MHz	3 dB	20 MHz	40°
MFB9155(NF)	902-928 MHz	915 MHz	5 dB	20 MHz	22°
MFB9155RPC	902-928 MHz	915 MHz	5 dB	20 MHz	22°
MFB9157(NF)*	902-928 MHz	915 MHz	7 dB	20 MHz	17°

\* Bandwidth @ 2.0:1 VSWR

Property Record Card				
	501-0000-019A TERN FRK LONGWOOD,	FL 32750		
Parcel Location	Site	View		
Sorry, No Image Available at this Time				
Parcel Information	Value	Summary		
Parcel 35-20-29-501-0000-019A		2024 Working Values	2023 Certified Values	
Owner(s) SUNSHINE WATER SERVICES COMPANY	Valuation Method	Cost/Market	Cost/Market	
Property Address 125 WESTERN FRK LONGWOOD, FL 32750 Mailing 500 W MONROE ST STE 3600 CHICAGO, IL 60661-3671	Number of Buildings	6	6	
Subdivision Name DES PINAR ACRES	Depreciated Bldg Value	\$539,670	\$502,914	
Tax District 01-COUNTY-TX DIST 1	Depreciated EXFT Value	\$64,459	\$56,596	
	Land Value (Market)	\$592,382	\$592,382	
DOR Use Code 91-GAS/ELECTRIC/TELEPHONE ETC Exemptions None	Land Value Ag			
AG Classification No	Just/Market Value	\$1,196,511	\$1,151,892	
	Portability Adj			
	Save Our Homes Adj	\$0	\$0	
	Non-Hx 10% Cap (AMD 1)	\$0	\$0	
	P&G Adj	\$0	\$0	
	Assessed Value	\$1,196,511	\$1,151,892	
2023 Certified Tax Summary				
2023 Tax Amount w/o Exemptions/Cap\$15,329.382023 Tax Bill Amount\$15,329.38				

## 2023 Tax Bill Amount

\$15,329.38


\* Does NOT INCLUDE Non Ad Valorem Assessments

## Legal Description

LOT 19 (LESS E 500 FT OF N 465.04 FT & ST RD 400) DES PINAR ACRES PB 12 PG 52

Taxes				
Taxing Authority		Assessment Value	Exempt Values	Taxable Value
ROAD DISTRICT		\$1,196,511	\$0	\$1,196,511
SJWM(Saint Johns Water Management)		\$1,196,511	\$0	\$1,196,511
FIRE		\$1,196,511	\$0	\$1,196,511
COUNTY GENERAL FUND		\$1,196,511	\$0	\$1,196,511
Schools		\$1,196,511	\$0	\$1,196,511
Sales				
Description	Date	Book Page	Amount Qualifie	d Vac/Imp


La	Ind								
Meth	od		F	rontage	Depth	Units	Units I	Price	Land Value
ACR	EAGE					22.27	\$28,00	00.00	\$592,382
Βι	uilding Informa	tion							
#	Description	Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	
1	MASONRY PILASTER .	1984/1990	1	932.00	CONCRETE BLOCK - MASONRY	\$71,011	\$112,270	Description	Area



Sketch by Apex Sketch

Building 1 - Page 1

#	Description	Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	
2	MASONRY PILASTER .	1984/1990	1	330.00	CONCRETE BLOCK - MASONRY	\$16,285	\$25,747	Description	Area



Building 2 - Page 1

Sketch by Apex Sketch

#		Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	
3	WOOD BEAM/COLUMN	1985/1990		594.00	WOOD SIDING WITH WOOD OR METAL STUDS	\$39,085	\$61,795	Description	Area
		37						CARPORT FINISHED	1155.00
								CARPORT UNFINISHED	740.00
		20 CPU 740 sf		20					
		37							
		35		18					
		33 CPF	33	33 I-1000 594 s	33				
		1155 sf		594 5					
	Sketch by Apen Sket	ch 35		18					



#	Description	Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	
4	MASONRY PILASTER .	1990	1	1295.00	CONCRETE BLOCK - MASONRY	\$44,196	\$69,875	Description	Area
			15					CARPORT FINISHED	300.00
			CPF 300 sf 20						
			35						
			l-1000 1295 sf	37					
	Sketch by Apen:		lding 4 - Page 1						
#	Description	Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	


5	STEEL/PRE ENGINEERED.	2017	1	360.00	METAL PREFINISHED	\$85,706	\$94,182	Description	Area
								CARPORT FINISHED	2640.00
		12	88						
		1-1000 360 sf 30 30	CPF 2640 sf		30				
		12	88						

Sketch by Apex Sketch

Statub by Aper Statub

Building 5 - Page 1

#	Llescription	Year Built Actual/Effective	Stories	Total SF	Ext Wall	Adj Value	Repl Value	Appendages	
6	MASONRY PILASTER .	2018	1	2100.00	CONCRETE BLOCK-STUCCO - MASONRY	\$283,387	\$302,279	Description	Area



Building 6 - Page 1

Perm	Permits									
Permit #	Description	Agency	Amount	CO Date	Permit Date					
08034	BLOCK-UP OPENING, PUT-UP INTERIOR WALL, & ELECTRICAL WALL; PAD PER PERMIT 125 WESTERN FRK	County	\$150,000	4/5/2006	4/21/2005					
00506	REROOF W/SHINGLES; PAD PER PERMIT 125 WESTERN FRK	County	\$10,300		1/17/2006					
08179	NEW OFFICE BUILDING - 125 WESTERN FORK	County	\$560,248		6/15/2017					
08178	DEMO ALL COMMERCIAL BLDGS/STRUCTURES	County	\$15,000		6/15/2017					
08180	DEMO ALL COMMERCIAL BLDGS/STRUCTURES	County	\$12,000		6/15/2017					
08489	DEMO ALL COMMERCIAL BLDGS/STRUCTURES - 125 WESTERN FORK	County	\$10,000		6/21/2017					
08794	30 X 100 STEEL BLDG 3000 SQFT	County	\$106,000	6/15/2018	6/27/2017					
08177	NEW EQ TANK & INFLUENT STRUCTURE - 125 WESTERN FORK	County	\$468,628		6/15/2017					
05298	125 WESTERN FRK: ELECTRICAL - COMMERCIAL [DES PINAR ACRES]	County	\$150,000		4/3/2018					

Extra Fe	atures	1							
Description				Year Built	Un	its	Value	New Cost	
COMMERCIAL A	SPHALT D	R 2 IN		01/01/2018	1,	140	\$2,444	\$2,793	
POLE LIGHT 1 A	RM			01/01/2018		5	\$9,270	\$9,270	
POLE LIGHT 2 A	RM			01/01/2018		2	\$7,210	\$7,210	
6' CHAIN LINK F	ENCE			10/01/1984	3,3	391	\$15,843	\$39,607	
COMMERCIAL A	SPHALT D	R 2 IN		10/01/1984	28,6	696	\$28,122	\$70,305	
WALKS CONC (	COMM			01/01/2018	:	385	\$1,570	\$1,794	
Zoning									
Zoning		Zoning Descri	ption	Future Land Use Future La			and Use Descri	ption	
A-1				PUBU	Agricultural-1Ac				
Utility Ir	format	tion							
Fire Station	Power	Phone(Analog)	Water Provider	Sewer Provider	Garbage Pickup	Recycle	Yard Waste	Hauler	
15.00	DUKE	CENTURY LINK	SUNSHINE WATER SERVICES	SUNSHINE WATER SERVICES	NA	NA	NA	NA	
Politica	Repre	sentation							
Commissione	ə <b>r</b>	US Congress	State House	St	ate Senate	Vo	oting Precinct		
Dist 3 - Lee Con	stantine	Dist 7 - Cory Mills	Dist 36 - RACHE	L PLAKON Di	st 10 - Jason Brodeur	25			
School	Informa	ation							
Elementary S	chool Dist	trict M	Middle School Distri	ct	High Sc	hool Distric	t		
Woodlands		F	Rock Lake		Lyman				
	Copyright 2024 © Seminole County Property Appraiser								